

API Help Guide

Palladium API is used to link the Palladium Software database with Magento Store, WooCommerce Store and Palladium Mobile Application (Android, IOS and UWP). Basically, it is used to handle the data send and receive request and provide appropriate acknowledgement to sender or receiver. It handles all kinds of requests like sync operation of Inventory, Pricelists, customers etc, sales document creation and many more. It handles every request sent to and from API.

In Web store configuration, we are using many API methods for various kinds of operations. We are using two types of API call – Get and Post. Different API method have different input-output parameters and response.

API URL: <http://129.232.223.226/WebstoreAPI/api>

In every API call we are passing below Key – Value in headers.

Content-type: application/json

Auth-database: SQL database name

Authorization is not required for any Web store API call as it is passing from Webstore backend logic.

Response Result format:

```
{
  "Data": [ ...
],
  "IsSuccess": true,
  "ErrorType": 0,
  "ErrorMessage": null
}
```

Inventory Sync: Inventory Sync API is used to get the list of inventory items from palladium database and sync to the web store database. We are getting only those items whose Web Store Item flag is true and item is active.

Method Name: GetInventoryItemsWebStore

Controller Name: InventoryPicker


Method Type: Post

API Call: <http://129.232.223.226/WebstoreAPI/api/InventoryPicker/GetInventoryItemsWebStore>

Body format: ["", "", "", "", "2019-03-06", 0, false, 25, 1, "", ""]

Parameter name sequence : [InvType, UserName, Pricelist, LocationName, Date, FilterType, IsWebStoreItem, LastUpdated, PageSize, PageIndex, SearchText]

Postman Call:



Get All Categories: We are getting all the list of enabled categories and having sub category assigned.


Method Name: GetAllCategories

Controller Name: MagentoWebStore

Method Type: Get

API Call: <http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetAllCategories>

Postman Call:



Get All Pricelists: We are getting all the list of pricelists by inventory part number. API call also returns the price list date range.

Method Name: GetPriceListsWebStore

Controller Name: InventoryPicker

Method Type: Get

API Call: <http://129.232.223.226/WebstoreAPI/api/InventoryPicker/GetPriceListsWebStore>

Postman Call:

The screenshot shows a Postman interface for a GET request to the endpoint `http://129.232.223.226/WebstoreAPI/api/InventoryPicker/GetPriceListsWebStore`. The request is successful, returning a 200 OK status with a response time of 3.16s and a size of 436.08 KB. The response body is displayed in JSON format, showing a single data item with the following details:

```
1 {
2   "Data": [
3     {
4       "PartNumber": "550C1",
5       "Desc": "Intenza Escalate Stair Climber",
6       "LastPPUnit": 0.0000,
7       "Selling": 156517.3913,
8       "Category": "CARDIO",
9       "SellFromStock": 1.0000,
10      "EstLocalCost": 0.0000,
11      "EstImportCost": 0.0000,
12      "Pricelist": "REGULAR",
13      "PriceBasedID": "23e62f27-8e71-45f3-a757-3f6bf3ed627b",
14      "StartDate": "1980-01-01T00:00:00",
15      "FinishDate": "2021-05-01T00:00:00"
16    }
17  ],
18 }
```

Get Users List: API is used to get the list of palladium software users list.

Method Name: GetUsersList

Controller Name: MagentoWebStore

Method Type: Get

API Call: <http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetUsersList>

Postman Call:

GET <http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetUsersList> Send Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies Code

Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Body Cookies (1) Headers (13) Test Results Status: 200 OK Time: 3.72 s Size: 521 B Save Response

Pretty Raw Preview Visualize JSON ↕

```

1  {
2    "Data": [
3      "Ashleigh",
4      "Dallas",
5      "Eddy",
6      "Henrique",
7      "Jinean",
8      "KYLE",
9      "Natasha",
10     "Riaan"
11   ],
12   "IsSuccess": true,
13   "ErrorType": 0,
14   "ErrorMessage": null
15 }

```

Get Company List: API is used to get the list of palladium software users list.

Method Name: GetCompanyDBList

Controller Name: MagentoWebStore

Method Type: POST

API Call: <http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetCompanyDBList>

Body format: ["SA", "abc123"]

Parameter name sequence : [SQL User name, SQL User password]

Postman Call:

POST <http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetCompanyDBList> Send Save

Params Authorization Headers (12) Body ● Pre-request Script Tests Settings Cookies Code

Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Body Cookies (1) Headers (13) Test Results Status: 200 OK Time: 1947 ms Size: 6.96 KB Save Response

Pretty Raw Preview Visualize JSON ↕

```

1  {
2  > "Data": [...
325  ],
326  "IsSuccess": true,
327  "ErrorType": 0,
328  "ErrorMessage": null
329 }

```

Get All Currencies List: API is used to get the list of currency details with Symbol name.

Method Name: GetHomeCurrency

Controller Name: MagentoWebStore

Method Type: Get

API Call: <http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetHomeCurrency>

Postman Call:

The screenshot shows a Postman interface for a GET request to the endpoint `http://129.232.223.226/WebstoreAPI/api/MagentoWebStore/GetHomeCurrency`. The request is successful, returning a 200 OK status with a response time of 763 ms and a size of 811 B. The response body is shown in JSON format, containing a single object in the "Data" array representing the South African Rand (ZAR) currency.

```
1  {
2    "Data": {
3      "CurrencyCode": "ZAR",
4      "CurrencyName": "South African Rand",
5      "CurrencySymbol": "R",
6      "IsTrailing": false,
7      "ThousandSymbol": ",",
8      "DecimalSymbol": ".",
9      "DecimalPlaces": 2,
10     "CentsName": "cents",
11     "IsHomeCurrency": true,
12     "IsUpdateMon": false,
13     "IsUpdateTue": false,
14     "IsUpdateWed": false,
15     "IsUpdateThu": false,
16     "IsUpdateFri": false,
17     "IsUpdateSat": false,
```

Get Sales Discount Matrix List: API is used to get the list of sales discount matrix data by inventory category.

Method Name: GetSalesDiscountMatrixDataByInvCategoryWebStore

Controller Name: SalesDiscountMatrix

Method Type: Get

API Call:

<http://129.232.223.226/WebstoreAPI/api/SalesDiscountMatrix/GetSalesDiscountMatrixDataByInvCategoryWebStore>

Postman Call:

GET <http://129.232.223.226/WebstoreAPI/api/SalesDiscountMatrix/GetSalesDiscountMatrixDataByInvCategoryWebStore> Send Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies Code

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies (1) Headers (13) Test Results Status: 200 OK Time: 801 ms Size: 1 KB Save Response

Pretty Raw Preview Visualize JSON

```

1  {
2    "Data": [
3      {
4        "CustCategory": "DEFAULT",
5        "InvCategory": "ACCESSORIES",
6        "Discount": 0.0000
7      },
8      {
9        "CustCategory": "DEFAULT",
10       "InvCategory": "CARDIO",
11       "Discount": 0.0000
12      },
13     {
14       "CustCategory": "DEFAULT",
15       "InvCategory": "CLEARANCE",
16       "Discount": 0.0000
17     },
18   ]
19 }

```

Get Country List: API is used to get the list of countries available in palladium software database.

Method Name: GetAllCountries

Controller Name: Country

Method Type: Get

API Call: <http://129.232.223.226/WebstoreAPI/api/Country/GetAllCountries>

Postman Call:

GET <http://129.232.223.226/WebstoreAPI/api/Country/GetAllCountries> Send Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies Code

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies (1) Headers (13) Test Results Status: 200 OK Time: 1041 ms Size: 19.99 KB Save Response

Pretty Raw Preview Visualize JSON

```

1  {
2    "Data": [
3      {
4        "CountryCode": "AF",
5        "CountryName": "Afghanistan",
6        "TelCode": "+93",
7        "DisplayName": "Afghanistan"
8      },
9      {
10       "CountryCode": "AL",
11       "CountryName": "Albania",
12       "TelCode": "+355",
13       "DisplayName": "Albania"
14     },
15     {
16       "CountryCode": "DZ",
17       "CountryName": "Algeria"
18     }
19   ]
20 }

```

Get Customer List: API is used to get the list of customers with details.

Method Name: GetCustomerAdvanceSearchDataWebStore

Controller Name: Common

Method Type: POST

API Call: <http://129.232.223.226/WebstoreAPI/api/Common/GetCustomerAdvanceSearchDataWebStore>

Body format:

```
{"CheckedFilterFieldName":"","SearchText":"","PageIndex":5,"PageSize":50,"LastUpdated":""}
```

Postman Call:

The screenshot shows a Postman interface for a POST request to `http://129.232.223.226/WebstoreAPI/api/Common/GetCustomerAdvanceSearchDataWebStore`. The request body is a JSON object: `{"CheckedFilterFieldName":"","SearchText":"","PageIndex":5,"PageSize":50,"LastUpdated":""}`. The response status is 200 OK, with a time of 1229 ms and a size of 35.43 KB. The response body is a JSON object with a "Data" array containing one customer object:

```
1 {
2   "Data": [
3     {
4       "CustomerName": "ALL011",
5       "CustomerDescription": "Allan Bullock",
6       "CustomerEmail": "abullock@telkomsa.net",
7       "Contact": "Allan Bullock",
8       "Street1": "169 Heloma Avenue",
9       "Street2": "",
10      "City": "Pretoria",
11      "Province": "Gauteng",
12      "Postal": "",
13      "Phone": "",
14      "CellPhone": "0823353419",
15      "Fax": "",
16      "Field1": "",
17      "Field2": ""
18    }
19  ]
20 }
```

Create Customer: API is used to create the new customer. Customer details object should be maintain at web store side and need to pass in API body.

Method Name: SaveAddEditCustomerDetails

Controller Name: Customer

Method Type: POST

API Call: <http://129.232.223.226/WebstoreAPI/api/Customer/SaveAddEditCustomerDetails>

Body format:

```
{"IsChkTargets":false,"CustomerExList":null,"CustomerExWTLList":null,"CustomerLocList":null,"CustomersTList":null,"InvoiceDocList":[],"CustomerTransactionsList":null,"CustomerTransactionsDTList":null,"CustomerItemsData":null,"InventoryData":null,"FilesList":null,"CustomerInvoiceCopy":null,"CustomerName":"WEB679","Street1":"509 Arkansas st","street2":"","city":"pretoria","province":"gauteng","postal":"0081","phone":"0728653954","cellphone":"0728653954","fax":null,"email":"cakesandcupcakesatjm@gmail.com","VAT":"","CK":"","BalDue":0,"YTDPurchase":0,"OpenOrders":0,"DelMethod":1,"IsCreditCtrl":true,"CreditLimit":0,"IsCreditHold":false}
```

```
, "IsInactive": false, "Updated": "/Date(-621355968000000)/", "Contact": "", "Field1": "", "Field2": "", "Field3": "", "Field4": "", "Field5": "", "Field6": "", "TaxCode": "01", "Since": "/Date(1530297000000)/", "Notes": "Thank you for your support - please visit our website www.fanel.co.za\r\nAll quoted prices are only valid for 2 weeks (14 days).\r\nStock subject to change daily.\r\nNo returns accepted without written off ice authorization or after 30 days. No return on indent products.\r\nNo orders will be processed on overdue accounts.", "Pricelist": "REGULAR", "ID": "00000000-0000-0000-0000-000000000000", "IntRate": 0, "Description": "Jaan-Mari", "Country": "South Africa", "Term": "30 Days From Invoice", "Department": "", "Currency": "ZAR", "BalDueF": 0, "YTDPurchF": 0, "OpenOrdersF": 0, "Field7": "", "Field8": "", "Field9": "", "Field10": "", "Field11": "", "Field12": "", "EmailInv": "", "EmailStat": "", "Category": "DEFAULT", "CountryCode": "ZA", "TenderType": "On Account", "TradeDiscPerc": 0, "CreditLimitOverride": 0, "CreditLimitExpiryDate": "/Date(1530901800000)/", "PartialBackorders": 0, "IsWithholdTax": false, "WithholdTaxCode": "", "INVFormDocName": null, "ORDFormDocName": null, "IsMatrixType": false, "MatrixType": "DEFAULT", "ParentCust": "WEB679", "ValueBased": null, "IsInvWorkflowNew": true, "IsInvWorkflowDA": true, "IsInvWorkflowSO": true, "Website": "", "RSTTerminalSync": "", "Contact2": "", "Suburb": "", "EmailOso": "", "NAPrintMethod": 0, "DelMethodCode": null, "SalesName": "JHB WEB ORDERS", "Center": null, "OpenQuotes": 0, "IsRowSelected": false, "CurrencySymbol": null, "APR": 12.25, "CustNameForCustomerContactTable": null, "OldCustNameForCustomerContactTable": "a7875073-4a88-4d1d-a55e-ad7b6790425e", "NewCustNameForCustomerContactTable": "WEB679", "CenterID": null, "PL_HistoryOn": true, "CustomerChildrens": "", "CurrentYrStarts": "/Date(1498847400000)/", "OldName": null, "ParentCustNew": null, "ProfitCenters": null, "IsExcludeFromCommission": false}
```

Postman Call:

The screenshot shows a Postman interface for a POST request to the endpoint `http://129.232.223.226/WebstoreAPI/api/Customer/SaveAddEditCustomerDetails`. The request body is a JSON object containing customer details, including fields like `CreditLimitOverride`, `ParentCust`, `Website`, `APR`, and `ProfitCenters`. The response status is `200 OK` with a time of `94 ms` and a size of `325 B`. The response body is a JSON object with the following structure:

```
{
  "Data": "Done",
  "IsSuccess": true,
  "ErrorType": 0,
  "ErrorMessage": null
}
```

Get Delivery Method List: API is used to get the list of delivery methods available in palladium software.

Method Name: `GetDeliveryMethodList`

Controller Name: `Sales`

Method Type: `Get`

API Call: <http://129.232.223.226/WebstoreAPI/api/Sales/GetDeliveryMethodList>

Postman Call:

The screenshot shows a Postman interface for a GET request to `http://129.232.223.226/MagentoAPI/api/Sales/GetDeliveryMethodList`. The response status is 200 OK, with a time of 34 ms and a size of 438 B. The response body is displayed in JSON format:

```
1 {
2   "Data": [
3     {
4       "DelMethod": "ABC",
5       "DelCost": 150.0000
6     },
7     {
8       "DelMethod": "DEF",
9       "DelCost": 250.0000
10    },
11    {
12      "DelMethod": "GHI",
13      "DelCost": 350.0000
14    }
15  ],
16  "TsSuccess": true.
```

Create Sales Order: API is used to create the sales order. Sales Order details object should be maintained at web store side and need to pass in API body.

Method Name: AddUpdateOrderDoc

Controller Name: Sales

Method Type: POST

API Call: <http://129.232.223.226/WebstoreAPI/api/Sales/AddUpdateOrderDoc>

Body format:

```
{ "PartNumber": null, "Location": "Default", "IsAdjusting": false, "TransactionType": 1, "CustomerCurrencyCode": "USD", "ExchangeValue": 1, "DocumentNumber": "SO-49", "JournalDate": "2021-02-17 06:53:21", "Required": "2020-09-01T00:00:00+02:00", "UserName": "SANW006975", "CustomerNumber": null, "SoldTo": "SanjayZala\r\n\r\ntest\r\n\r\ntest\r\n\r\n01231231231\r\n\r\nIN", "ShipTo": "SanjayZala\r\n\r\ntest\r\n\r\ntest\r\n\r\n01231231231\r\n\r\nIN", "Reference": "Ref Webstore", "DiscountPercentage": 0, "DiscountTempPerc": 0, "SubTotal": "114.00", "DiscountAmount": "0", "VAT": "0", "Total": 114, "DeliveryCost": "0.0000", "Notes": "", "SelectedSalesPerson": null, "SelectedDepartment": "", "SelectedDepartmentIndex": 0, "AdditionalInfo": "", "CurrencyCode": null, "IsForeign": false, "SubTotalForeign": 0, "DiscountAmountForeign": 0, "VATForeign": 0, "TotalForeign": 0, "DeliveryCostForeign": 0, "Term": "30 Days From Invoice", "Dept": "", "Field1": "", "Field2": "", "Field3": "", "Field4": "", "Field5": "", "Field6": "", "Field7": "", "Field8": "", "Field9": "", "Field10": "", "Field11": "", "Field12": "", "Field13": "2018-10-11T00:00:00+05:30", "Field14": "2018-10-11T00:00:00+05:30", "SubFormatted": "R 3,567.00", "DiscountFormatted": "R 0.00", "VATFormatted": "R 0.00", "TotalFormatted": "R 3,567.00", "DeliveryCostFormatted": "R 0.00", "OrdFQDocID": null, }
```

StatusTypeCode":null,"IsBookmark":false,"IsRepairChecked":false,"IsSalesFreehandQuotes":false,"IsSalesOrder":true,"SalesFQDocNumber":null,"TotalWeight":0,"RevisionNumber":0,"SelectedStatusType":null,"IsBookmarkChkVisible":false,"IsBookmarkChecked":false,"SelectedCreditNote":null,"SalesOrderDocEntity":null,"IsDeliveryMethodVisible":true,"SelectedDeliveryMethod":null,"IsActivateProcessingDoc":true,"SelectedRevisionNumber":1,"IsAllowReceiptOnSalesOrder":false,"IsFixDocNumber":false,"SalesEntities":[{"LineNumber":1,"Number":"Item1","Location":"Default","Description":"BAGUETTE TABLE KNIFE 18\\\/10","Qty":1,"OpenQty":1,"Unit":"12\\\/144","Price":"114","DiscountPercentage":0,"MarginPercentage":1,"TaxCode":"01","Tax":null,"Amount":"114","TaxObject":null,"IsAllowChngPrice":false,"SellQty":1,"Inv1":"","Inv2":"","Inv3":"","Inv4":"","Inv5":"","Inv6":"","Line1":"","Line2":"","Line3":"","Line4":"","Line5":"","Line6":"","Line7":"","Line8":"","Line9":"","Line10":"","Line11":"","Line12":"","Discount":0,"IsDiscountTAX":false,"ProjectName":"","StockQty":1,"StockUnit":1,"OrigSQQtyStock":1,"SerialOrLot":null,"IsInventorySerial":false,"OrigPrice":null,"OrigDiscountPercent":0,"SellFromStock":0,"RemainOnSO":"25","Cost":0,"OrigQtyRemain":0,"IsCancelItemOrder":false,"ImageCount":0,"SalesPerson":"JHB WEB ORDERS","IsVoucherEnabled":false,"VoucherCode":null,"DimensionProfile":"","IsCostPriceDefault":false,"IsCostPriceOverride":false,"CostPriceValue":0,"CostPriceTotal":0,"SQQty":0,"OQtyRemain":0,"Extended":"","PreviousSalesperson":null,"IsSOTOSI":false,"IsSQTO SI":false,"SODocNum":null,"SQDocNum":null,"IsMarginOverride":true,"DimensionGUID":"00000000-0000-0000-0000-000000000000","ItemWeight":1,"VolumetricWeight":"0.0000","UnitOfMeasureWeight":"kg","IsContainerItem":false,"IsUpsellItem":false,"IsUpsellItemLaunched":false,"IsCostDel":false,"BillingMethod":0,"IsSerialDimension":false,"REName":false,"TransactionFieldGUID":"wc_order_T98s5IBYFszRu","QuotedQty":0,"JobQty":0,"DecimalQuantity":0,"AvailableQty":0,"ImgData":null,"IsSerialAssigned":false,"SerialInfo":null,"UserSerialData":[],"FromBinID":0,"ToBinID":0,"Total":114}], "IsCreditRequestConvert":false,"NextInvoiceNumber":138637,"InvNumber":"","SONumber":"","DocumentType":"","Title":"","NextSONumber":"185491","NextCNNumber":101365,"CNNumber":"","CreditNote":"CREDIT NOTE","CreditRequest":"CREDIT request","nextcrnumber":9,"crnumber":"","nextquotenumber":241,"quotenumber":"","isconvertingda":false,"ismultiplda":false,"existingdanumber":null,"ismaintaincenters":false,"pl_voucherintegrationdisabled":false,"iscreditbtnselected":false,"origdocnumber":null,"provider":0,"isadjustinginv":false,"isdtlineschanged":false,"custname":"DHWW002613","pl_nonintegratedstock":false,"taxnotsetup":false,"tax":0,"returnstotal":0,"returntotaltax":0,"taxlinelist":null,"tuple":null,"issplinelevel":false,"module":0,"isquotetoso":false,"isquotetoinvoice":false,"existingquotenumber":"","authorizetrackinglist":[],"iscustomerchanged":false,"oldcustomername":"DHWW002613","pl_departmentsenabled":true,"gllinkedaccountar":null,"splitpaymentcashamount":0,"splitpaymentchangeamount":0,"existingstosqnumber":null,"paymentplancashamount":0,"paymentplanchangeamount":0,"splitpaymentchangeamountformatted":null,"linkedacctdoc_currencyexchange":null,"linkedacctdoc_currentearnings":null,"linkedacctdoc_deliveryadvice":null,"issotoinvoice":false,"existingstosnumber":null,"issonumberinv":false,"sonumberinv":null,"selectedpaymentindex":0,"isonaccount":false,"selectedpayment":null,"isisterm":false,"accountnumber":null,"issplitpmtused":false,"tempguid":"","isprojnotallocall":false,"linkedaccountsession_acctno":null,"pl_homecurrencycode":"usd","linkedacctdoc_deposits":null,"isautoapplycreditnotes":false,"pl_multicurrencyenabled":true,"lotnumbernotavailable":null,"seriallotnumbernotavailable":null,"documenttypeincorrect":null,"isactivateerpintegration":false,"iserpar":false,"currentusercrnumber":null,"deletesolinestobecancelledlist":null,"rename":null,"isprofitcenterautoassign":false,"profitcenteruid":"00000000-0000-0000-0000-000000000000","centersremoved":0,"ismultiplesosq":false,"ispartialbackordersallowed":false,"backorderreasoncode":null,"exceptiondata":null,"ismatrixtype":false,"recordtag":null,"isapplydiscount":null,"matrixtotal":0,"matrixsubtotal":0,"matrixsubtotaltag":null,"matrixvat":0,"vattemp":0,"subtotaltemp":0,"discountvat":0,"isbookmarkchkvisible":false,"iscreditnotereasonvisible":false,"iscreditnoteenabled":false,"ordertotalnonaccountpaymentsplitpmt":0,"orde

```
rtotalnonaccountpaymentplandeposit":0,"duedate":"2018-05-29t00:00:00","exceptionmessage":null,"edi":"","totalmarginpercentage":0,"deliverylocationselected":"default","customersignature":"","currentlocation":{"username":"sanjayzala","latitude":23.035062,"longitude":72.50052,"email":"sanjay.zala@tatvasoft.com"}}
```

Postman Call:

The screenshot shows a Postman API client interface. At the top, the request is identified as 'AddUpdateOrderDoc'. The method is 'POST' and the URL is 'http://129.232.223.226/WebstoreAPI/api/Sales/AddUpdateOrderDoc'. The 'Body' tab is selected, showing a JSON payload. Below the request, the response is displayed in 'Pretty' format, showing a successful status (200 OK) and a JSON object with various fields like 'NextQuoteSystemNumber', 'QuSysNumber', 'FreehandEntites', 'DepartmentList', 'VATNoText', 'ListInvBinExtRowid', 'DocumentSignature', 'documentEntity', 'IsSuccess', 'ErrorType', and 'ErrorMessage'.

```
1 [{"PartNumber":null,"Location":"Default","IsAdjusting":false,"TransactionType":1,"CustomerCurrencyCode":"USD","ExchangeValue":1,"DocumentNumber":"SO-49","JournalDate":"2021-02-17 06:53:21","Required":"2020-09-01T00:00:00+02:00","UserName":"SANW006975","CustomerNumber":null,"SoldTo":"SanjayZala\\r\\ntest\\r\\ntest\\r\\n01231231231\\r\\nIN","Reference":"Ref Webstore","DiscountPercentage":0,"DiscountTempPerc":0,"ShipTo":"SanjayZala\\r\\ntest\\r\\ntest\\r\\n01231231231\\r\\nIN","SubTotal":"114.00","DiscountAmount":0,"VAT":0,"Total":114,"DeliveryCost":"0.0000","Notes":"","SelectedSalesPerson":null,"SelectedDepartment":"","SelectedDepartmentIndex":0,"AdditionalInfo":"","CurrencyCode":null,"IsForeign":false,"SubTotalForeign":0,"DiscountAmountForeign":0,"VATForeign":0,"TotalForeign":0,"DeliveryCostForeign":0,"Term":"30 Days From Invoice","Dept":"","Field1":"",""}]
```

```
339     "NextQuoteSystemNumber": 0,  
340     "QuSysNumber": null,  
341     "FreehandEntites": null,  
342     "DepartmentList": null,  
343     "VATNoText": null,  
344     "ListInvBinExtRowid": null,  
345     "DocumentSignature": null,  
346     "documentEntity": null  
347   },  
348   "IsSuccess": true,  
349   "ErrorType": 0,  
350   "ErrorMessage": null  
351 }
```